

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((port with operat\$5 with ((variety or multiple or different or several) near2 protocol)) same interface same control\$6 same signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:42
L2	0	((port with operat\$5 with ((variety or multiple or different or several) near2 protocol)) same interface same control\$6 same signal) and @ad<"20030904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:42
L3	1	((port with operat\$5 with ((variety or multiple or different or several) near2 protocol)) same interface same control\$6 same signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:42
L4	0	((port with operat\$5 with ((variety or multiple or different or several) near2 protocol)) same interface same control\$6 same (signal or modulat\$6)) and @ad<"20030904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:43
L5	0	((port with funct\$5 with ((variety or multiple or different or several) near2 protocol)) same interface same control\$6 same (signal or modulat\$6)) and @ad<"20030904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:43
L6	7	((port with ((variety or multiple or different or several) near2 protocol)) same interface same control\$6 same (signal or modulat\$6)) and @ad<"20030904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:58
L9	356	(configuration with (modulat\$6 near4 control) with (signal or output))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:31
L10	291	(configuration with (modulat\$6 near4 control) with (signal or output)) and @ad<"20030904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:30
L11	59	(configuration with (modulat\$6 near4 control) with (signal with output)) and @ad<"20030904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:29

EAST Search History

L12	9	(configuration with (modulat\$6 near control) with (signal with output)) and @ad<"20030904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 15:28
L13	2	((configuration with (modulat\$6 near control) with (signal with output)) same (coupl\$5 or carrier)) and @ad<"20030904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 15:44
L14	0	((configuration with (modulat\$6 near control) with (signal with output)) same (coupl\$5 or carrier)) and @ad<"20030904" and S-Link	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 15:33
L15	18	(control with signal with processor with bi-directional with buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:30
L16	16	(control with signal with processor with bi-directional with buffer) and @ad<"20030904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:30
L17	5	(control with signal with processor with (bi-directional near buffer)) and @ad<"20030904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:30
L18	5	(control\$5 with signal with processor with (bi-directional near buffer)) and @ad<"20030904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 15:48
L21	0	(s-link with protocol with driver) and @ad<"20030904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 16:19
L22	15	(s-link with protocol) and @ad<"20030904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:31

EAST Search History

L25	0	(configuration with (modulat\$6 near4 control) with (signal or output)) and (710/8.cccls. or 710/11.cccls. or 710/33.cccls. or 710/36.cccls. or 710/52.cccls. or 710/107.cccls. or 710/200.cccls. or 711/118.cccls. or 711/170.cccls. or 711/118.cccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:29
L26	0	(configuration with (modulat\$6 near4 control) with (signal or output)) and @ad<"20030904" and (710/8.cccls. or 710/11.cccls. or 710/33.cccls. or 710/36.cccls. or 710/52.cccls. or 710/107.cccls. or 710/200.cccls. or 711/118.cccls. or 711/170.cccls. or 711/118.cccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:29
L27	0	(configuration with (modulat\$6 near4 control) with (signal with output)) and @ad<"20030904" and (710/8.cccls. or 710/11.cccls. or 710/33.cccls. or 710/36.cccls. or 710/52.cccls. or 710/107.cccls. or 710/200.cccls. or 711/118.cccls. or 711/170.cccls. or 711/118.cccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:29
L28	0	(control with signal with processor with bi-directional with buffer) and (710/8.cccls. or 710/11.cccls. or 710/33.cccls. or 710/36.cccls. or 710/52.cccls. or 710/107.cccls. or 710/200.cccls. or 711/118.cccls. or 711/170.cccls. or 711/118.cccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:30
L29	0	(s-link with protocol) and @ad<"20030904" and (710/8.cccls. or 710/11.cccls. or 710/33.cccls. or 710/36.cccls. or 710/52.cccls. or 710/107.cccls. or 710/200.cccls. or 711/118.cccls. or 711/170.cccls. or 711/118.cccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:30
L30	6	(configuration with (modulat\$6 near4 control) with (signal or output)) and (frank or pierce or talatinian).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:30
L31	6	(configuration with (modulat\$6 near4 control) with (signal or output)) and (frank or pierce or talatinian).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:30

EAST Search History

L32	0	(control with signal with processor with bi-directional with buffer) and (frank or pierce or talatinian).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:30
L33	0	(control with signal with processor with (bi-directional near buffer)) and @ad<"20030904" and (frank or pierce or talatinian).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:31
L34	2	(s-link with protocol) and (frank or pierce or talatinian).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:31
L35	1	(s-link with protocol).clm. and (frank or pierce or talatinian).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:31
L36	297	(configuration and (modulat\$6 near4 control) and (signal or output)) and (frank or pierce or talatinian).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:31
L37	3	(configuration and (modulat\$6 near4 control) and (signal or output)).ab. and (frank or pierce or talatinian).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:31
L38	10	(configuration and (modulat\$6 near4 control) and (signal or output)).clm. and (frank or pierce or talatinian).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 17:31